

## Informatie over de auteur en referenties bij CAHAG Bulletin nummer 3, 2019

### **Artikel 1: Stoppen met roken heeft hoge prioriteit voor longpatiënten**

L. Heydanus (coassistent UMCU bij het Trimbos-instituut), E.A. Croes (arts-epidemioloog Trimbos-instituut)

#### Relevante bronnen

1. Nederlands Huisartsen Genootschap. NHG-Standaard astma bij volwassenen.  
<https://www.nhg.org/standaarden/volledig/nhg-standaard-astma-bij-volwassenen>
2. Nederlands Huisartsen Genootschap. NHG behandelrichtlijn Stoppen met roken.  
<https://www.nhg.org/themas/publicaties/nhg-behandelrichtlijn-stoppen-met-roken>
3. Nederlands Huisartsen Genootschap. NHG Zorgmodule leefstijl roken.  
<https://www.nhg.org/?tmp-no-mobile=1&q=node/65419>

### **Artikel 2: Derdehands rook: een onderschat probleem?**

Dr. Jasper V. Been, kinderarts-neonatoloog

Afdeling Kindergeneeskunde, divisie Neonatologie; Afdeling Verloskunde en Gynaecologie; en Afdeling Maatschappelijke Gezondheidszorg, Erasmus MC – Sophia Kinderziekenhuis, Universitair Medisch Centrum Rotterdam, Rotterdam

#### Referenties (belangrijkste zijn blauw gemarkeerd)

1. Mackenbach JP, Damhuis RA, Been JV. De gezondheidseffecten van roken. Groei van kennis leidt tot steeds grimmiger beeld. Ned Tijdschr Geneeskd 2017;160:D869.
2. Faber T, Kumar A, Mackenbach JP, Millett C, Basu S, Sheikh A, Been JV. Effect of tobacco control policies on perinatal and child health: a systematic review and meta-analysis. Lancet Public Health 2017;2(9):e420-e37.
3. Diez-Izquierdo A, Cassanello-Penarroya P, Lidon-Moyano C, Matilla-Santander N, Balaguer A, Martinez-Sanchez JM. Update on thirdhand smoke: A comprehensive systematic review. Environ Res 2018;167:341-71.
4. Matt GE, Quintana PJ, Fortmann AL, Zakarian JM, Galaviz VE, Chatfield DA, et al. Thirdhand smoke and exposure in California hotels: non-smoking rooms fail to protect non-smoking hotel guests from tobacco smoke exposure. Tob Control 2014;23:264-72.
5. Mahabee-Gittens EM, Merianos AL, Hoh E, Quintana PJ, Matt GE. Nicotine on children's hands: limited protection of smoking bans and initial clinical findings. Tob Use Insights 2019;12:1179173X18823493.
6. Northrup TF, Khan AM, Jacob P, 3rd, Benowitz NL, Hoh E, Hovell MF, et al. Thirdhand smoke contamination in hospital settings: assessing exposure risk for vulnerable paediatric patients. Tob Control 2016;25:619-23.
7. Matt GE, Quintana PJ, Zakarian JM, Fortmann AL, Chatfield DA, Hoh E, et al. When smokers move out and non-smokers move in: residential thirdhand smoke pollution and exposure. Tob Control 2011;20:e1.
8. Yamakawa M, Yorifuji T, Kato T, Tsuda T, Doi H. Maternal smoking location at home and hospitalization for respiratory tract infections among children in Japan. Arch Environ Occup Health 2017;72:343-50.

9 Toebees B, Gispen ME, Been JV, Sheikh A. A missing voice: the human rights of children to a tobacco-free environment. *Tob Control* 2018;27:3-5.

### Artikel 3: Roken en sociaaleconomische status

Liza Meeuwsen, MSc, AIOTO, LUMC, afdeling Public Health en Eerstelijnsgeneeskunde Prof. Dr. Niels H. Chavannes, hoogleraar, LUMC, afdeling Public Health en Eerstelijnsgeneeskunde

Referenties:

1. Higgins, S. T., Kurti, A. N., Palmer, M., Tidey, J. W., Cepeda-Benito, A., Cooper, M. R., ... Stanton, C. A. (2019). A review of tobacco regulatory science research on vulnerable populations. *Preventive Medicine*, 105709. <https://doi.org/10.1016/j.ypmed.2019.04.024>
2. Galobardes, B. (2006). Indicators of socioeconomic position (part 1). *Journal of Epidemiology & Community Health*, 60(1), 7–12. <https://doi.org/10.1136/jech.2004.023531>
3. Gezondheidsenquête/ Leefstijlmonitor CBS. Den Haag: CBS i.s.m. RIVM en Trimbos-instituut. 2018
4. Springvloet, L., Bommelé, J., Willemsen, M., van Laar, M. Factsheet Kerncijfers roken 2017 – De laatste cijfers over roken, stoppen met roken, meeroken en het gebruik van elektronische sigaretten. Nationaal Expertisecentrum Tabaksontmoediging. Oktober 2018
5. van Wijk, E. C., Landais, L. L., & Harting, J. (2019). Understanding the multitude of barriers that prevent smokers in lower socioeconomic groups from accessing smoking cessation support: A literature review. *Preventive Medicine*, 123, 143–151. <https://doi.org/10.1016/j.ypmed.2019.03.029>
6. Gregoraci, G., van Lenthe, F. J., Artnik, B., Bopp, M., Deboosere, P., Kovács, K., ... Mackenbach, J. P. (2016). Contribution of smoking to socioeconomic inequalities in mortality: a study of 14 European countries, 1990–2004. *Tobacco Control*, 26(3), 260–268. <https://doi.org/10.1136/tobaccocontrol-2015-052766>
7. Kotz, D., & West, R. (2009). Explaining the social gradient in smoking cessation: it's not in the trying, but in the succeeding. *Tobacco Control*, 18(1), 43–46. <https://doi.org/10.1136/tc.2008.025981>
8. Reid, J. L., Hammond, D., Boudreau, C., Fong, G. T., Siahpush, M., & ICT Colleboration (2010). Socioeconomic disparities in quit intentions, quit attempts, and smoking abstinence among smokers in four western countries: Findings from the International Tobacco Control Four Country Survey. *Nicotine & Tobacco Research*, 12(Supplement 1), S20–S33. <https://doi.org/10.1093/ntr/ntq051>
9. Brown, T., Platt, S., & Amos, A. (2014). Equity impact of European individual-level smoking cessation interventions to reduce smoking in adults: a systematic review. *European Journal of Public Health*, 24(4), 551–556. <https://doi.org/10.1093/eurpub/cku065>
10. Hill, S., Amos, A., Clifford, D., & Platt, S. (2013). Impact of tobacco control interventions on socioeconomic inequalities in smoking: review of the evidence. *Tobacco Control*, 23(e2), e89–e97. <https://doi.org/10.1136/tobaccocontrol-2013-051110>
11. Twyman, L., Bonevski, B., Paul, C., & Bryant, J. (2014). Perceived barriers to smoking cessation in selected vulnerable groups: a systematic review of the qualitative and

- quantitative literature. *BMJ Open*, 4(12), e006414. <https://doi.org/10.1136/bmjopen-2014-006414>
12. Hiscock, R., Bauld, L., Amos, A., Fidler, J. A., & Munafò, M. (2011). Socioeconomic status and smoking: a review. *Annals of the New York Academy of Sciences*, 1248(1), 107–123. <https://doi.org/10.1111/j.1749-6632.2011.06202.x>

#### **Artikel 4: Een rookvrije start voor ieder kind**

Miriam de Kleijn, huisarts niet praktiserend, epidemioloog en adviseur, PinK-FOX, lid van de taskforce Rookvrije Start namens het NHG

<sup>1</sup> Addendum Behandeling van tabaksverslaving en stoppen met roken ondersteuning bij zwangere vrouwen. Trimbos instituut, op initiatief van Taskforce Rookvrije Start en het ministerie van Volksgezondheid, Welzijn en Sport, auteurs: werkgroep Addendum <https://www.trimbos.nl/docs/8dcff786-e1b2-4556-8220-7ca285531b6c.pdf>

<sup>1</sup> Factsheet Monitor Middelengebruik en Zwangerschap 2018 Trimbos Instituut <https://www.trimbos.nl/aanbod/webwinkel/product/af1685-monitor-middelengebruik-en-zwangerschap-2018>

<sup>1</sup> Coleman, T., Chamberlain, C., Davey, M.A., Cooper, S.E. & Leonardi-Bee, J. (2015). Pharmacological interventions for promoting smoking cessation during pregnancy (Review). The cochrane database of systematic reviews, <https://doi.org/10.1002/14651858.CD010078.pub2>

<sup>1</sup> Praktijkadvies gebruik nicotine vervangende middelen in de zwangerschap <https://www.trimbos.nl/aanbod/webwinkel/product/pm0293-praktijkadvies-gebruik-nicotinevervangende-middelen-in-de-zwangerschap>

<sup>1</sup> <https://rookvrijestart.rokeninfo.nl/toolkit>