

Slimme digitale voorzetkamer maakt inhalatie instructie op maat mogelijk

Referenties

1. Mäkelä MJ, Backer V, Hedegaard M, Larsson K. Adherence to inhaled therapies, health outcomes and costs in patients with asthma and COPD. *Respir Med.* 2013; 107(10):1481-90
2. van Boven JF, Chavannes NH, van der Molen T, Rutten-van Mölken MP, Postma MJ, Vegter S. Clinical and economic impact of non-adherence in COPD: a systematic review. *Respir Med.* 2014; 108(1):103-13

Overmatig SABA gebruik bij astma patiënten

Referenties:

1. NHG standaard: Astma bij Volwassenen, M27, gepubliceerd juli 2020
2. Silver HS, Blanchette CM, Kamble S, Petersen H, Letter M, Meddis D, et al. Quarterly Assessment of Short-Acting β 2-Adrenergic Agonist Use as a Predictor of Subsequent Health Care Use for Asthmatic Patients in the United States. *J Asthma.* 2010;47(6):660-666.
3. FitzGerald JM, Tavakoli H, Lynd LD, Al Efraij K, Sadatsafavi M. The impact of inappropriate use of short acting beta agonists in asthma. *Respir Med.* 2017;131:135-140.
4. [Looijmans-van den Akker I](#), [Werkhoven A](#), [Verheij T](#). Over-prescription of short-acting beta agonists in the treatment of asthma. *Fam Pract.*2021; 38 (5): 612-616